

**Amendments to the Claims:**

Re-write the claims as set forth below. This listing of claims will replace all prior versions and listings, of claims in the application:

**Listing of Claims:**

1. (currently amended) A computer system capable of performing encryption or decryption under a Data Encryption Standard (DES) algorithm, comprising:

a general purpose microprocessor operative to carry out a DES instruction and comprises  
an arithmetic logic unit having a logic circuit for performing expansion permutation, S-box substitution, P-box permutation and associated XOR operations;

wherein said computer system further comprises a register file providing operands to said arithmetic logic unit; and

wherein said register file includes general purpose registers that store states of the DES algorithm.

2. (canceled)

3. (previously presented) The method of claim 1, wherein said register file includes a first register for storing a first portion of a datum for said encryption or decryption, a second register for storing a second portion of said datum and a third register for storing a subkey.

4. (original) The computer system of Claim 3, wherein said datum is 64 bits long and said subkey is 48 bits long.

5. (original) The computer system of Claim 3, wherein said first and second portions each contain one-half number of bits of said datum.

6. (original) The computer system of Claim 5, wherein each of said first and second portions is 32 bits long.

7. (currently amended) The computer system of Claim 3, wherein said first, second and third registers store operands of ~~[[an]]~~the DES instruction executing one round of said DES algorithm using said logic circuit and a shift circuit in said arithmetic logic unit, said instruction designating to store results in said first, second and third registers in such manner as to allow said results in said first, second and third registers to be operands in a subsequent execution of said instruction.

8. (original) The computer system of Claim 7, wherein a bypass mechanism is provided in said register file such that said results are provided as input to said logic circuit without first being written back to said first, second and third registers.

9. (original) The computer system of Claim 8, wherein said register file and said bypass mechanism are shared by all instructions in said arithmetic logic unit.

10. (original) The computer system of Claim 1, further comprising a second logic circuit capable of performing key selection for said DES algorithm, said second logic circuit operating in parallel with said logic circuit.

11. (original) The computer system of Claim 1, wherein said logic circuit further comprises a circuit for selecting a subkey from a key.
12. (original) The computer system of Claim 11, wherein said key is 56 bits long.
13. (currently amended) A process for performing encryption or decryption under a Data Encryption Standard (DES) algorithm, comprising:
- executing a DES instruction on a general purpose microprocessor;
  - providing a logic circuit in an arithmetic logic unit; and
  - performing expansion permutation, S-box substitution and P-box permutation and associated XOR operations in said logic circuit based on the DES instruction; and
  - storing operands in a register file; and providing said operands to said logic circuit;
  - wherein said register file includes general purpose registers that store states of the DES algorithm.
14. (canceled)
15. (previously presented) The process of Claim 13, further comprising: storing operands in a register file; and providing said operands to said logic circuit.
16. (original) The process of Claim 15, further comprising:

storing a first portion of a datum for said encryption or decryption in first register in said register file;

storing a second portion of said datum for said encryption or decryption in second register in said register file; and

storing a subkey for said encryption or decryption in third register in said register file.

17. (original) The process of Claim 16, further comprising storing operands of an instruction executing one round of said DES algorithm in said first, second and third registers using said logic circuit and said shift circuit, said instruction designating to store results in said first, second and third registers in such manner as to allow said results in said first, second and third registers to be operands in a subsequent execution of said instruction.

18. (original) The process of Claim 17, further comprising providing said results as input to said logic circuit without first being written back to said first, second and third registers.

19. (original) The process of Claim 13, further comprising selecting a subkey from a key for said DES algorithm in a second logic circuit.

20. (original) The process of Claim 19, further comprising operating said second logic circuit in parallel with said logic circuit.

21. (original) The process of Claim 13, further comprising selecting a subkey from a key using a key select circuit in said logic circuit.

22. (currently amended) A computer system capable of performing encryption or decryption under a Data Encryption Standard (DES) algorithm, comprising:

a general purpose microprocessor that comprises an arithmetic logic unit having a logic circuit for performing expansion permutation, S-box substitution, P-box permutation and associated XOR operations;

wherein said computer system further comprises a register file providing operands to said arithmetic logic unit; and

wherein said register file includes general purpose registers to store at least two of attributes parameters datapath, control,  $L_i$ 's,  $R_i$ 's, and subkeys  $K_i$ 's.

23. (previously presented) The computer system of claim 22, wherein said register file includes a first register for storing a first portion of a datum for said encryption or decryption, a second register for storing a second portion of said datum and a third register for storing a subkey.